Sec. 1703-2. Multi-Family Districts



1703-2.1. Purposes

The general purposes of the multi-family districts are to:

- **A.** Maintain and enhance the multi-family neighborhoods.
- **B.** Encourage quality and variety in building and landscape design as well as compatibility in use and form.
- **C.** Allow semi-public and Non-residential uses, where appropriate.
- D. Establish appropriate standards for reviewing proposals for new development and redevelopment.
- **E.** Ensure the provision of services and facilities needed to accommodate planned population densities.

1703-2.2. Subdistricts

A. RM-L Multi-Family Low

RM-L is intended to create, maintain and enhance areas of the city that have a mix of lot sizes and house types at moderate intensities low densities (one to three four dwelling units). Existing nonconforming multi-family buildings of four five or more units may continue to exist in the district but new construction permitted, but new construction of multi-family buildings of five or more units is not permitted.

B. RM-M Multi-Family Medium

RM-M is intended to provide for a medium density mix of residential housing_predominantly duplexes and multi-family_on lots that have already been platted. The scale of buildings is generally similar to a large single-family home on a small lot. Where land is assembled, the same scale should be maintained.

C. RM-H Multi-Family High

RM-H is a mixed residential <u>high density</u> district intended to provide for a variety of residential buildings and housing options at moderately high densities. Where land is redeveloped or assembled, the same scale should be maintained.

1703-2.3. RM-L Multi-Family Low

A. Purpose


RM-L is intended to create, maintain and enhance areas of the city that have a mix of lot sizes and house types at moderate intensities (one to three four dwelling units). Existing nonconforming multi-family buildings of four five or more units may continue to exist in the district but new construction is allowed, but new construction of multi-family buildings of five or more units is not permitted.



B. General

Allowed Permitted uses & use	Sec. 1703-9
<u>standards</u>	
Landscaping and buffering	Sec. 1711-2
Nonconformities	Sec. 1752-7
Parking	Sec. 1711-1
Outdoor storage and display	Sec. 1711-5
Rules of measurement	Sec. 1703-10
Signs	Sec. 1711-3
Site lighting	Sec. 1711-4
Use standards	Sec. 1703-10

1703-2.3. RM-L Multi-Family Low



C. Lot

Lot Dimensions		
	A Lot Area	B Lot Width
Single-family	2,500 SF min.	25' min.
Rowhouse	2,500 SF min .	25' min.
Two-Family	5,000 SF min.	25' min.
Three-Family	7,500 SF min.	75' min.
Four-Family	7,500 SF min.	75' min.
All other uses		

D. Placement

Principal Building Setbacks

	9	
Front street	15' min. or Avg. front- setback (Sec. 1703-11.4.E) 20' min.	•
Side street	10' min.	O
Side interior	3' min.	Ø
Side total	6' min.	
Rear	20' min.	ø
Accessory Struc	ture Setbacks	
Accessory Struct	ture Setbacks Not Permitted	G
. •		©
Front yard	Not Permitted	
Front yard Corner yard	Not Permitted 15' min.	
Front yard Corner yard Side interior	Not Permitted 15' min. 3' min.	

Number	2
Nullibei	

E. Parking

Location of Parking		
Front yard	40% max Not Permitted* (see Sec. 1703-10.14)	•
Corner yard	Not Permitted	0
Side yard	Permitted	•
Rear yard	Permitted	Ø

^{*}Parking is permitted on access drives where such drives lead to the parking lots or spaces either within the principal building, in any accessory structure, or at locations behind the front line of a building.

F. Height

Building Height		
Principal building	35' max.	•
Accessory structure	15' max.	P

1703-2.4. RM-M Multi-Family Medium

A. Purpose


RM-M is intended to provide for a medium density mix of residential housing_predominantly duplexes and multi-family_on lots that have already been platted. The scale of buildings is generally similar to a large single-family home on a small lot. Where land is assembled, the same scale should be maintained.



B. General

Allowed Permitted uses & use	Sec. 1703-9
<u>standards</u>	
Landscaping and buffering	Sec. 1711-2
Nonconformities	Sec. 1752-7
Parking	Sec. 1711-1
Outdoor storage and display	Sec. 1711-5
Rules of measurement	Sec. 1703-10
Signs	Sec. 1711-3
Site lighting	Sec. 1711-4
Use standards	Sec. 1703-10

1703-2.4. RM-M Multi-Family Medium



C. Lot

Lot Dimensions		
	A Lot Area	B Lot Width
Single-family	2,000 SF min.	20' min.
Rowhouse	1,500 SF min.	20' min.
Two-Family	3,000 SF min.	30' min.
Three-Family	5,000 SF min.	50' min.
Four-Family	5,000 SF min.	50' min.
Multi-family	7,500 SF min. <u>*</u>	75' min.
All other uses		
* Minimum land area = 1,200 SF per dwelling unit.		

D. Placement

Building and Structure Setbacks		
Front street	5' min./ 12' max <u>20' min.</u>	0
Side street	5' min/ 12' max. <u>20' min.</u>	O
Side interior	5' min.	3
Side total	10' min. <u>15' min.</u>	
Rear	20' min 35' min.	3
Facade within Facad	e Zone	
Front street	70% min.	0
Side street	35% min.	(1)

E. Parking

Location of Parking	
Front yard	Not Permitted ①
Corner yard	Not Permitted ①
Side yard	Permitted &
Rear yard	Permitted ①

F. Height

Building Height		
One to Four-Family	35' max.	Ø
Multi-Family	50' max.	Ø

G. Activation

Transparency		
Ground story	20% min.	Ø
Upper story	20% min.	0
Pedestrian Access		
Street-facing entrance	Required	P

1703-2.5. RM-H Multi-Family High

A. Purpose


RM-H is a mixed residential <u>high density</u> district intended to provide for a variety of residential buildings and housing options. <u>at moderately high densities</u>. <u>Where land is redeveloped or assembled, the same scale should be maintained.</u>



B. General

Allowed Permitted uses & use	Sec. 1703-9
<u>standards</u>	
Landscaping and buffering	Sec. 1711-2
Nonconformities	Sec. 1752-7
Parking	Sec. 1711-1
Outdoor storage and display	Sec. 1711-5
Rules of measurement	Sec. 1703-10
Signs	Sec. 1711-3
Site lighting	Sec. 1711-4
Use standards	Sec. 1703-10

1703-2.5. RM-H Multi-Family High



C. Lot

Lot Dimensions		
	A Lot Area	B Lot Width
Single-family	2,000 SF min.	20' min.
Rowhouse	1,200 SF min.	18' min.
Two-Family	3,000 SF min.	30' min.
Three-Family	5,000 SF min.	50' min.
Four-Family	5,000 SF min.	50' min.
Multi-family	7,500 SF min. <u>*</u>	75' min.
Other		
* Minimum land area = 700 SE per dwelling unit		

D. Placement

Building and Structure Setbacks			
Front street	5' min/ 12' max 20' min.	•	
Side street	5' min/ 12' max 20' min.	O	
Side interior	5' min.	Ø	
Side total	10' min. <u>15' min.</u>		
Rear	20' min <u>35' min.</u>	G	
Facade within Facade Zone			
Front street	70% min.	0	
Side street	35% min.	(1)	

E. Parking

Location of Parking		
Front yard	Not Permitted	
Corner yard	Not Permitted)
Side yard	Permitted B	•
Rear yard	Permitted Q	•

F. Height

Building Height		
One to Four-Family	35' max.	•
Multi-Family	85' max.*	•
*Buildings higher than	85' require a condi	tional use.

G. Activation

Transparency		
Ground story	20% min.	0
Upper story	20% min.	0
Pedestrian Access		
Street-facing entrance	Required	•